

TABLE 3

**Percentage distribution of women aged 18–49 at risk of unintended pregnancy, by primary contraceptive method used, according to jurisdiction, 2017\***

Jurisdiction	Female sterilization	Male sterilization	Implant		IUD	Pill	Other non-LARC		With-drawal	Other	None	Total
							hormonal	Condom				
Alabama	19.3	4.7	†	5.4	20.6	†	17.1	†	4.2	24.1	100	
Alaska	10.6	†	†	20.6	10.2	†	24.2	†	†	17.3	100	
Arizona	12.3	4.1	2.2	9.3	14.7	†	16.5	1.1	6.3	32.6	100	
California	9.1	1.3	3.5	9.4	19.7	3.1	22.7	2.3	5.4	23.4	100	
Connecticut	7.4	3.5	2.4	8.4	21.9	1.5	20.6	†	6.1	27.2	100	
Delaware	14.6	†	6.4	6.7	13.4	†	14.0	†	6.1	33.8	100	
District of Columbia	3.2	†	†	9.2	13.5	†	28.9	2.9	8.6	28.9	100	
Florida	12.1	3.1	5.0	7.6	15.7	1.7	20.3	0.8	6.3	27.4	100	
Georgia	16.6	†	†	6.6	12.8	†	18.4	†	7.1	31.5	100	
Hawaii	9.3	†	4.4	8.3	20.1	3.9	14.2	2.0	5.6	30.8	100	
Idaho	10.6	4.8	†	18.1	17.7	†	15.2	†	7.3	22.5	100	
Indiana	16.8	3.9	†	10.1	17.2	2.5	17.3	1.6	5.6	23.3	100	
Iowa	12.8	5.1	5.2	10.4	22.7	4.7	13.8	†	3.2	21.4	100	
Kansas	13.9	4.3	2.6	9.8	19.2	2.8	17.5	†	4.3	24.4	100	
Louisiana	15.1	3.1	†	4.5	17.9	†	22.7	†	3.7	28.6	100	
Maine	13.4	†	†	24.0	19.0	†	13.1	†	†	15.9	100	
Maryland	7.9	3.4	†	11.3	18.8	2.1	23.3	†	5.6	25.6	100	
Massachusetts	8.5	†	†	12.0	25.4	†	15.3	†	7.0	21.8	100	
Minnesota	9.6	4.0	5.0	11.7	19.5	1.5	14.8	1.5	6.2	26.3	100	
Mississippi	17.8	†	†	7.1	14.2	†	18.4	†	†	28.1	100	
Missouri	19.0	4.2	2.9	7.8	17.1	†	17.2	†	5.9	24.9	100	
Nebraska	12.1	4.3	3.5	8.0	18.2	†	16.5	†	5.5	28.5	100	
Nevada	13.6	3.7	†	13.2	13.8	†	14.3	†	†	25.5	100	
New Jersey	11.4	1.8	2.6	7.8	16.7	2.1	23.6	†	4.2	27.9	100	
New Mexico	16.1	2.5	8.0	15.3	13.6	3.4	15.9	†	4.2	19.6	100	
New York	8.2	1.6	†	10.2	14.7	3.1	24.6	3.1	8.1	24.4	100	
North Carolina	17.2	4.3	†	9.5	17.3	3.6	15.3	†	†	22.8	100	
Ohio	15.3	3.4	4.1	8.3	14.2	3.6	15.2	†	5.0	29.3	100	
Oklahoma	18.7	†	†	9.0	21.5	†	12.9	†	†	26.2	100	
Oregon	12.9	2.7	†	19.9	16.9	†	14.5	1.7	7.7	20.2	100	
Pennsylvania	16.5	2.8	†	9.1	21.2	5.7	20.3	†	4.0	16.9	100	
Puerto Rico	42.9	2.8	†	3.8	4.4	†	12.7	†	4.9	26.0	100	
South Carolina	16.8	3.5	2.2	7.0	17.0	3.0	21.0	1.8	3.4	24.4	100	
South Dakota	15.3	3.8	†	9.9	23.3	†	17.9	†	†	22.1	100	
Texas	15.1	†	†	6.2	13.2	†	20.3	†	4.8	30.9	100	
Utah	8.1	5.0	†	21.4	17.1	3.1	18.2	†	4.4	20.1	100	
Virginia	12.0	2.7	4.9	10.4	18.0	2.9	20.3	†	5.8	22.1	100	
West Virginia	27.4	4.9	†	8.7	14.7	†	10.1	†	4.1	25.6	100	
Wisconsin	10.2	5.7	†	10.6	18.9	5.9	14.8	†	†	28.9	100	
Wyoming	21.1	4.1	4.9	11.7	16.9	4.0	12.5	†	†	20.1	100	

\*At risk of unintended pregnancy includes women 18–49 who were sexually active with one or more male partners, were not currently pregnant or trying to become pregnant, and had not had a hysterectomy. Women who answered “don’t care if [I] get pregnant” when asked about their rationale for nonuse were considered in this report to be at risk of unintended pregnancy (see Additional Notes on the Data for more information). †Estimate is unreliable (has a denominator of less than 50 respondents or a relative standard error greater than 30%).